

FindStat – the combinatorial statistics database

Chris Berg (Google)
Christian Stump (Freie Universität Berlin)

chrisjamesberg@gmail.com
christian.stump@fu-berlin.de



The FindStat project was initiated by the two authors in 2011 at the Laboratoire de combinatoire et d'informatique mathématique, Université du Québec à Montréal, Canada. It provides an online platform for mathematicians, and in particular for combinatorialists, to gather information about combinatorial statistics and their relations. In 2013, we gained three new developers, V. Pons, T. Scrimshaw, and J. Striker.

An example

Combinatorial statistics arise naturally all over mathematics. Before we give the definition of a combinatorial statistic, let us first describe an example. Suppose you were studying a collection of polynomials $\{f_\pi\}$ indexed by permutations, and the degree of the first few polynomials were as follows:

$$\begin{aligned} \deg(f_{12}) &= 0 & \deg(f_{21}) &= 1 \\ \deg(f_{123}) &= 0 & \deg(f_{132}) &= 2 & \deg(f_{213}) &= 1 \\ \deg(f_{231}) &= 2 & \deg(f_{312}) &= 1 & \deg(f_{321}) &= 3 \\ \deg(f_{1234}) &= 0 & \deg(f_{1243}) &= 3 & \deg(f_{1324}) &= 2 \end{aligned}$$

You would like to know what underlying rule determines the degree of the polynomial. The savvy combinatorialist will tell you that the degree of f_π appears to be the *major index* of π ,

$$\text{maj}(\pi) = \sum_{\substack{1 \leq i < n \\ \pi_i > \pi_{i+1}}} i.$$

What's that? You say you aren't a savvy combinatorialist? Never heard of a Mahonian statistic and are now riddled with the shame and dismay of your peers? Relax! This is what FindStat was built for! Just point your browser to

www.FindStat.org/StatisticFinder

and simply input the degree of each of your polynomials. Wait a few seconds, and FindStat will tell you that you're looking at the major index of a permutation.

Online Databases

The OEIS

We know what you're thinking! "Wait a second, isn't this exactly what the OEIS does?" Indeed, the success of the *On-Line Encyclopedia of Integer Sequences* (OEIS) [2] was a primary motivation in the creation of FindStat. The OEIS database contains more than 200.000 integer sequences and has had an immense impact on the work of mathematicians all over the world. There were two main reasons for starting the FindStat project, the first one being more of an annoyance, the second being more profound:

- Combinatorial collections do not necessarily admit a canonical total ordering which would be needed to index a given combinatorial statistic in the OEIS. In the example above, we study permutations. While there are many ways to index permutations (e.g. lexicographically), there is no default. Even more annoying, some combinatorial objects, like graphs, have much less obvious total orderings.
- There are many natural relationships between various combinatorial collections. A statistic on one combinatorial collection can often be transformed to a meaningful statistic on an entirely different collection of objects. In fact, those following along online may have noticed that FindStat didn't exclusively return the major index of a permutation as a solution to

the above problem. As of August 23, 2013, searching the FindStat database for this data yields almost 20.000 database searches after following more than 1.000 combinatorial maps. The database results provide the major index¹, as expected, as well as connections to the number of inversions² and 8 other statistics in the database.

Fingerprint databases for theorems

As discussed by S.C. Billey and B.E. Tenner in [1], FindStat is an example of a

fingerprint database for theorems.

Roughly speaking, this means that FindStat is actually providing a canonical way of storing and recognizing theorems; when I search for one statistic and find another, FindStat is implying that these statistics are in fact equal or related through well-described connections. Moreover, similar to a single sequence from the OEIS, a statistic page often contains information regarding the contexts in which the statistic arises, and references containing further information.

Project outlines

A *combinatorial collection* \mathcal{S} is considered to be a set with interesting combinatorial properties, a *combinatorial map* is a map between two combinatorial collections that has an explicit combinatorial description, and a *combinatorial statistic* on \mathcal{S} is a map st that associates an integer to each element in \mathcal{S} , $st : \mathcal{S} \rightarrow \mathbb{Z}$.

The main aims

The two main aims of the FindStat project are to

- provide an online platform to gather information about combinatorial collections and statistics and their relations. This includes
 - adding new combinatorial statistics to the FindStat database, and
 - filling the corresponding wiki with information about combinatorial collections and statistics.
- provide a web interface to
 - test if your data is a known combinatorial statistic in the database, or
 - test if your data can be obtained from known combinatorial statistics in the database by applying combinatorial maps.

Contributing to the database

It might have happened in the introductory example that the degrees of the polynomials were not found in the database. You should then think of adding your data through the web interface

www.FindStat.org/NewStatistic

so that the next person searching for this statistic will be aware of the context in which you found it.

We tried to make it as simple as possible to contribute. All you need for your contribution is to provide your data, the context in which you encountered the statistic, and, if possible, references. The most important part is to provide the correct data; we recommend to use your favorite computer algebra system (or to use the Sage cell¹ provided by the web interface) to produce the data for you. If you do not have an algorithm computing the data for you, you can alternatively provide a few values by hand. Maybe the next person to find your statistic in the database will be able to provide further values.

The FindStat wiki

In addition to the pure database of combinatorial statistics, the FindStat project serves as a platform to provide information about combinatorial statistics and maps. For example, information about permutation statistics and combinatorial maps for permutations can be found at

www.FindStat.org/Permutations

and its subsequent pages. Anyone can contribute to the wiki to improve the content and the presentation of the information.

The FindStat blog

The FindStat database can be used to exhibit previously unknown connections between statistics. We recently created the blog FindStatFacts

www.FindStat.org/FindStatFacts

to discuss statistics that FindStat shows to be connected through combinatorial maps and to ask the community to explain these connections.

Licence and technical information

Contributions to the FindStat project, i.e., to the database and to the wiki, are licensed under a *Creative Commons License*².

The main technologies used in this project are a *MoinMoin wiki engine* for serving the website [3], and a server running *Sage* in which the combinatorial maps are implemented and the actual computations are performed [4].

References

- [1] Sara C. Billey and Bridget E. Tenner Fingerprint databases for theorems. *Notices of the AMS* **60**(8) (2013).
- [2] OEIS Foundation Inc. The On-Line Encyclopedia of Integer Sequences. oeis.org (2011).
- [3] The MoinMoin Wiki Engine. moinmo.in (2013).
- [4] Sage Mathematics Software (Version 5.11). www.sagemath.org (2013).

¹www.FindStat.org/St000004 ²www.FindStat.org/St000018

¹<https://github.com/sagemath/sagecell> ²Creative Commons Attribution-ShareAlike 3.0 Unported License.