

# Setting up a long-term evaluation environment for interactive semi-public information displays

Michael Koch  
michael.koch@unibw.de  
University of the Bundeswehr Munich  
Munich, Germany

Julian Fietkau  
julian.fietkau@unibw.de  
University of the Bundeswehr Munich  
Munich, Germany

Laura Stojko  
laura.stojko@unibw.de  
University of the Bundeswehr Munich  
Munich, Germany

## ABSTRACT

Human-computer interaction research increasingly focuses on the long-term evaluation of real-world field deployments. When dealing with innovative solutions and when asking for the possibility to do action research in the deployment, fitting real-world deployments are hard to find – and access to these deployments is hard to obtain. We decided to invest in setting up and managing a long-term deployment of an interactive large information screen solution at our university, which includes several displays. In this paper, we briefly report about the installation – the CommunityMirror Network – as well as its functionality and operations management.

## KEYWORDS

deployment, field studies, long-term evaluation, ambient displays, in-the-wild, CommunityMirror, sustainability

## 1 INTRODUCTION

In the CommunityMirror project<sup>1</sup> we have been working for several years on identifying success factors for large interactive public and semi-public screens acting as information displays.

CommunityMirrors are large interactive screens extending the benefits of social software for knowledge work beyond the physical barriers of single user desktops [8]. CommunityMirrors are peripherally recognizable “information radiators” [3] that show “info particles” from existing enterprise IT systems (getting the information “out of the box” from existing sources). The screens can be installed in different semi-public places, e.g. beside the elevator, in the coffee corner, in the corridors, or in other social areas where people come together.

As supplements to classic desktops (not replacements!), the interfaces can help create visibility about what is going on in the organization (awareness) and facilitate the “accidental” discovery of relevant information without having to explicitly look for it (serendipity). The re-integration of information objects into their social surrounding enables people to directly talk about the discovered information without computer mediation. The additional interfaces can help efficiently generate a better “common ground” [2] for successful collaboration.

<sup>1</sup>see <https://www.communitymirrors.net/>

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

Veröffentlicht durch die Gesellschaft für Informatik e.V. in P. Fröhlich & V. Cobus (Hrsg.): *Mensch und Computer 2023 – Workshopband, 03.-06. September 2023, Rapperswil (SG)*

© 2023 Copyright held by the owner/author(s).  
<https://doi.org/10.18420/muc2023-mci-ws13-356>

As described elsewhere (e.g. Alt et al. [1]), it is important to run long-term deployments for addressing some types of research questions. In the CommunityMirror project we have been working with several shorter deployments for years – but always had to deal with the novelty effect [5] and problems with the non-professionalism of the (research) deployments. The only professional deployment where we had closer access was Ott and Koch [9] which showed the problems with limited access and influence on outside deployments.

So, we decided to invest in setting up and managing a long-term, in-the-wild, real-world deployment of an interactive large information screen solution at our university. We started operating the first two screens in 2018 and added two more in 2019, then paused due to the COVID-19 pandemic, and restarted operating the screens in mid 2022 – now with additional capturing of body tracking data [4] at two of the screens.

The goals of the setup were to research different factors in context without the novelty effect kicking in – and to research aspects of operating such a setup for a longer term.

In this paper we will briefly report on the setup of the “CommunityMirror Network” – a real-world deployment with four CommunityMirror instances at the University of the Bundeswehr Munich. By giving this long-term deployment example, we want to inspire discussions about operations management and field studies in ubiquitous human-computer interaction research.

## 2 THE COMMUNITYMIRROR NETWORK

Following the ideas of CommunityMirrors listed in the previous section we planned to set up an installation that presents relevant and valuable information to the community: the people working, studying, and visiting the Department of Informatics at the University of the Bundeswehr Munich. In the following subsections, we briefly describe what decisions we have made regarding data and data collection, user interface, and operation based on our experiences from former short-term deployments.

### 2.1 Data and Data Collection

When researching what information might be of interest to all interest groups – co-workers, students, and visitors – we came to three different types of information:

- (1) People: information about people working in the Informatics Department, around the area of the installations.
- (2) Organizations: information about (sub-)organizations within the department, as part of the university, and in general.
- (3) Content: information about what the people in our department are working on, what is taking place (e.g. announcements (of events or other), reports or news, new publications,

active (research) projects, announcements of topics for student theses, ...).

In addition to the “serious” information, we added some non-serious content: photos from department events and comics, funny images and texts.

All these information items consist of a catchy title, an image (wherever possible), and a short abstract with links to further information on the web. Additionally, all the information items are linked to other information items to create an information graph for browsing. As an example, this can be seen in Figure 2.

As we learned in earlier deployments, this information has to be current and updated quite often to keep interest, and to sustain the usefulness of the screen [9]. So, we fell back to a data solution already used for shorter deployments before, the CommunityMashup [6, 7]. The CommunityMashup collects information from different sources and makes it available in a common format – based on the data types of users, organizations, and content.

## 2.2 Data Display and Interaction Possibilities


The touch screens in our installation access data from the same CommunityMashup data store, display the data, and allow interaction with it. To display user-centric data, each CommunityMirror uses selection strategies to choose appropriate data items, e.g. according to their location. For instance, the display located in the corridor of the Institute of Theoretical Informatics shows more info particles related to this specific institute. The core element in the user interface is an “information flow” that shows the selected data items as circles, in various sizes, showing the title and the image (see Figure 1). Depending on the data type the circles have a specific color: persons are light blue, organizations are dark blue and content items are green. These flow items move through the screen, from left to right or right to left, until they leave the screen which results in another item being selected and inserted in the flow. There is a maximum number of items displayed in the information flow at one time. To achieve a balance in the displayed data objects, there is an algorithm that always selects a certain percentage of each type of item and steers toward a specified balance.

Since we are interested in how often and in which way people interact with the CommunityMirror to explore the displayed information, we added functionality for capturing active and passive usage data – for scientific evaluations and for operation support. Our logging solution is described in more detail elsewhere [4, 10].

Following a light gamification approach, the users can interact with the flow items – e.g. stop them, drag them around, even throw them out of the border of the screen to disappear.

When a flow item is touched, the movement of the selected item stops, and a detailed view of the item is displayed showing the abstract (in a scrollable window). After some time without interaction, the item cycles back to the non-detailed view and disappears. The detail view not only shows the selected item but also other items that are related to the selected item as a graph (see Figure 2). This graph can be used to navigate to other information.

Additionally, a QR code is displayed in the detail view that can be used to capture the information on a mobile device for later access (by capturing a link to the CommunityMashup).



**Figure 1: A typical information flow of a CommunityMirror instance showing person particles (blue), and content information (green).**



**Figure 2: Connected information objects that build an information graph for browsing in the CommunityMirror.**

In earlier deployments, we found that the flow works well and addresses both people directly in front of the screen and people watching from a distance (by displaying the flow items in different sizes), but there was something missing. People in the department asked for large posters as they are displayed on paper-only boards. So, we added “teasers” (Figure 3), a poster-like display of the items (quarter to half a screen size) that is shown from time to time. Touching the teaser results in opening the item in graph mode for browsing.

Finally, we added some more static information that is of special interest for the users (Figure 4):

- a clock in the upper left corner
- a possibility to access the cafeteria menu
- a possibility to see the (live) departure times at the nearby bus station
- a possibility to access information about the installation
- a possibility to instantly replace the currently shown flow items (refresh information flow)
- a possibility to replace the currently shown teaser
- a possibility to show all the professors or staff members in the context of a screen location



Figure 3: The teaser feature of the CommunityMirror (left side) that shows poster-like information randomly from time to time.




Figure 4: Overall user interface of the CommunityMirror with information flow (blue and green circles passing through the display), a watch on the upper left corner, bus schedule on the right side, cafeteria menu on the lower right corner next to the QR code with further information about the project, and a button for teaser selection or skipping on the left corner with a reshuffle button of the information flow right next to it.

### 2.3 Deployment Locations

Looking into possibilities for setting up CommunityMirror instances on campus we identified several locations (mainly based on availability) in the three-floor building of our faculty and one in a satellite campus location:

- Building 41, ground floor: a location where there is a room for workshops with external guests nearby and where there are some bulletin boards for students (showing the results of exams)
- Building 41, first floor: a location in the open staircase
- Building 41, second floor: a location next to a seminar room and coffee kitchen – so, there is traffic by students and staff
- Building CASCADA: a location in the open break room of a research group

We are looking into more locations, but these four seemed to be sufficient for a start.

### 2.4 Operations Management

The basis of the operation are CommunityMirror applications on different computers that load information objects to display from a CommunityMashup installation and that continuously export activity log data to a logging management solution [10] – see Figure 6 for an overview.

The runtime of the CommunityMirrors is scheduled between 7 am and 6 pm during the day. Between 6 pm and 7 am the CommunityMirrors turn into sleep mode to save energy, as it is assumed that no or almost no users would use the screen in the late evening hours or at night.

The first task regarding the management of the network of four (and expandable to more) screens was to set up a deployment script that allows easy updates of the software on the instances without the need to physically visit all of them. Therefore, a git repository was set up that automatically updates itself and the CommunityMirror software (the CommunityMirrorFramework, CMF). To reduce memory-related errors, the computers restart themselves once a day.

The second task regarding management was to build a remote management service for the instances and an application to look into the current status of the instances. To that end, the CommunityMirror software was outfitted with an extensible remote interface that allows remote administrators to access diagnostic information and to trigger system actions (such as a reboot). This remote interaction happened over a direct internet connection for initial tests, which was later improved to use current encryption standards and measures against man-in-the-middle attacks.

The remote management interface is accessed through a web-based dashboard (Figure 5). It shows an overview and an operation manual for regular tasks, e.g. updating people information items, as we did not yet find a good way to automatically import the information from the people directories at the department. The objective of this application is to enable easier operations management as it also shows information about the current status of the deployments based on our logging framework and integrates an interface for remote management.

The most important issues in management however had to do with the data. As already mentioned in subsection 2.1, we carefully





Figure 5: Dashboard for CommunityMirror remote management, with diagnostic information on one particular device currently visible.



**Figure 6: An architecture diagram of the CommunityMirror network showing all relevant components: CommunityMirror instances and their optional hardware add-ons, logging framework, data sources (CommunityMashup), network management dashboard, and remote management.**

looked into what data to display (to be useful) and how we can obtain the data without too much additional effort. While careful planning and the use of the CommunityMashup solution for automatically collecting data was helpful, it did not do all the work. There was a need to regularly check if there was enough new information and also if it came from enough different sources, and to adapt the import and selection rules or to manually add and update information.

Data management can be divided into two tasks:

- (1) maintenance of existing content
- (2) acquisition of new content

To make maintenance of existing content as easy as possible, we added attributes like an expiration date to the content items and remove them automatically when outdated.

For keeping data like the list of persons and organizations up to date we defined a maintenance process and provided tools to semi-automatically update the information from other information sources (like the faculty person directory).

Adding new content is done mainly via the CommunityMashup. However, we found a need to monitor how much content is available in which categories – and to allow people to suggest content. For the overview we added regular statistics provided by the CommunityMashup that can be accessed in the dashboard solution mentioned before. For suggesting content and for making it easy to maintain the non-automatically collected content (by a large

number of users) we added a functional mailbox and a web-based content management system that allows users to easily create content objects.

In addition to checking for “normal” data operation, management includes maintaining data about the operation – as entries in an electronic laboratory journal and as annotations / comments in the logging framework. This additional context data is needed to interpret the raw data in the logging framework when doing evaluations.

### 3 DISCUSSION

In this paper, we have reported on setting up a long-term evaluation environment for interactive semi-public information displays.

After operating the CommunityMirror network for more than one year now, we can conclude that it actually offers benefits to the users in our department, and provides a powerful environment for public display (action) research.

With the solutions for continuously collecting interaction data [10] and body tracking data around the displays [4], we now have data beyond the novelty effect to work on questions like:

- How do new features, e.g. the employee panel or gamification functionality, influence the interaction with the CommunityMirror?
- What are the information objects users interact with the most – persons, organizations, or content?

- How many people pass by the screen? How do they move between interaction zones? We no longer need to count interactions but can work with conversation rates.

Regarding the effects surrounding the CommunityMirror, we can now have a look at the following questions:

- What are the dynamics between a group of people in front of the screen and how do these groups form (honeypot effect)?
- How can we use body tracking data to observe the honeypot effect? And even further, distinguish between the novelty and honeypot effect and identify a temporal context?
- How can we observe the novelty effect using quantitative logging of body tracking and interaction data?

With our full access solution of a large interactive semi-public information display environment, we have the opportunity to do field studies with full control that allow us to examine these questions, which are interesting for research and operational real world deployment scenarios, e.g. for Computer-Supported Cooperative Work (CSCW).

Additionally, we contribute to “sustainability” of IT research in practice. Research in applied computing today requires researchers to engage deeply with practitioners in order to design innovative information technology artifacts and understand their appropriation. The problem not yet solved is what happens when the research project is over. See for example Simone et al. [11] for a broader discussion of this topic.

## REFERENCES

- [1] Florian Alt, Stefan Schneegaß, Albrecht Schmidt, Jörg Müller, and Nemanja Memarovic. 2012. How to Evaluate Public Displays. In *Proceedings of the 2012 International Symposium on Pervasive Displays* (Porto, Portugal) (*PerDis '12*). Association for Computing Machinery, New York, NY, USA, Article 17, 6 pages. <https://doi.org/10.1145/2307798.2307815>
- [2] Herbert H. Clark. 1996. *Using Language*. Cambridge University Press, New York, NY, USA.
- [3] Alistair Cockburn. 2008. Information Radiator. <http://alistair.cockburn.us/Information+radiator> Unavailable at time of publication. Archived at: <https://web.archive.org/web/20170702033833/alistair.cockburn.us/Information+radiator>.
- [4] Julian Fietkau. 2023. A New Software Toolset for Recording and Viewing Body Tracking Data. In *Mensch und Computer 2023 – Workshopband*, Peter Fröhlich and Vanessa Cobus (Eds.). Gesellschaft für Informatik e.V., Bonn, Germany, 4 pages. <https://doi.org/10.18420/muc2023-mci-ws13-334>
- [5] Michael Koch, Kai von Luck, Jan Schwarzer, and Susanne Draheim. 2018. The Novelty Effect in Large Display Deployments – Experiences and Lessons-Learned for Evaluating Prototypes. In *Proc. 16th European Conference on Computer-Supported Cooperative Work*. European Society for Socially Embedded Technologies (EUS-SET), Siegen, Germany, 19 pages. [https://doi.org/10.18420/ecscw2018\\_3](https://doi.org/10.18420/ecscw2018_3)
- [6] Peter Lachenmaier and Florian Ott. 2012. The “Wisdom of the Crowd Pattern”: A Person-centric data aggregation approach for Social Software. In *Proceedings of the 2012 IEEE 13th International Conference on Information Reuse and Integration (IRI)*, Chengcui Zhang, James Joshi, Elisa Bertino, and Bhavani Thuraisingham (Eds.). IEEE Systems, Man, and Cybernetics Society (SMC), Las Vegas, NV, USA, 706–711.
- [7] Peter Lachenmaier, Florian Ott, Antonia Immerz, and Alexander Richter. 2011. CommunityMashup – A Flexible Social Mashup Based on a Model-Driven-Approach. In *Proceedings of the 12th IEEE International Conference on Information Reuse and Integration (IRI'2011)*, Reda Alhaji, James Joshi, and Mei-Ling Shyu (Eds.). IEEE, Las Vegas, NV, USA, 48–51. <https://doi.org/10.1109/IRI.2011.6009519>
- [8] Florian Ott and Michael Koch. 2012. Social Software Beyond the Desktop – Ambient Awareness and Ubiquitous Activity Streaming. *it – Information Technology* 54, 5 (2012), 243–252. <https://doi.org/10.1524/itit.2012.0687>
- [9] Florian Ott and Michael Koch. 2019. Exploring Interactive Information Radiators – A Longitudinal Real-World Case Study. In *Mensch und Computer 2019 – Workshopband*. Gesellschaft für Informatik e.V., Bonn, Germany, 73–80. <https://doi.org/10.18420/muc2019-ws-565>
- [10] Christopher Rohde, Michael Koch, and Laura Stojko. 2023. Using an Elastic Stack as a Base for Logging and Evaluation of Public Displays. In *Mensch und Computer 2023 Workshop-Proceedings*, Peter Fröhlich and Vanessa Cobus (Eds.). Gesellschaft für Informatik e.V., Bonn, Germany, 6 pages. <https://doi.org/10.18420/muc2023-mci-ws13-303>
- [11] Carla Simone, Ina Wagner, Claudia Müller, Anne Weibert, and Volker Wulf. 2022. *Future-proofing: Making Practice-Based IT Design Sustainable*. Oxford Academic, Oxford, UK. <https://doi.org/10.1093/oso/9780198862505.001.0001>